JOURNAL OF RESEARCH of the National Bureau of Standards
Vol. 89, Nos. 1-6, January -December 1984

INDEX TO VOLUME 89

January–December 1984

A

absolute electric current probe based on the Faraday effect, An 273
absolute instrument 273
acetic acid 251
acoustic emission 55, 75
Acoustic emission: establishing the fundamentals 75
activity 395
activity coefficient 251, 279, 395
angular distribution 3
aqueous solubility 279
attenuation rate 385
Automated high temperature PVT apparatus with data for propane 375

B

Berk, N. F.; K. Hardman-Rhyne and E. R. Fuller, Jr., Microstructural characterization of ceramic materials by small angle neutron scattering techniques 17
boundary integral equations 47
Breckenridge, Franklin R.; Steven E. Fick, Carl E. Tschiegg, and Donald G. Eitzen, An ultrasonic absolute power transfer standard 209
buffers 395
Burnett method 375

C

cadmium chloride 251
Cahn, J. W., and F. C. Larché, The interactions of composition and stress in crystalline solide 467
calibration 75, 295
Caton, W., and J. Katzenstein, An absolute electric current probe based on the Faraday effect 273
ceramic materials 17
ceramics 453
Characterization of creep damage in metals using small angle neutron scattering 35
Chuang, T.-J.; E. R. Fuller, Jr., R. J. Fields, and S. Singhal, Characterization of creep damage in metals using small angle neutron scattering 35
coal steam 385
compressibility 227, 375
constants 187
continuous monitoring 75
Controlled indentation flaws for the construction of toughness and fatigue master maps 453
Cook, R. F., and B. R. Lawn, Controlled indentation flaws for the construction of toughness and fatigue master maps 453
Cooper, John W., About this topical issue 1
copper sulfate 251
crack detection 47
crack initiation 435
crack propagation 435
creep 467
creep cavitation 35
creep crack growth 35
creep damage 35
creep fracture 35
crystals 467

D

density 375
Determination of the viscoelastic shear modulus using forced torsional vibrations 193
deuterium 227
diffraction 3
diffuse scattering 3
dimensional resonance 65

E

eddy currents 47
Eitzen, D. G., and H. N. G. Wadley, Acoustic emission: establishing the fundamentals 75
Eitzen, Donald G.; Steven E. Fick, Franklin R. Breckenridge, and Carl E. Tschiegg, An ultrasonic absolute power transfer standard 209

electric current 273
electrical guarding 349
electromagnetic NDE 47
electromagnetic scattering 3
equation of state 227
equilibrium 251
Equilibrium model for the calculation of activity and osmotic coefficients in aqueous solutions, An 251
erosion and wear 435
Evaluation of some high-temperature platinum resistance thermometers 349
Evans, J. P., Evaluation of some high-temperature platinum resistance thermometers 349
excess Gibbs energy 251
exposure rate 295
Exposure standardization of iodine-125 seeds used for brachytherapy 295

F

Faraday effect 273
fatigue 453
fiber optics 3
Fick, Steven E.; Franklin R. Breckenridge, Carl E. Tschiegg, and Donald G. Eitzen, An ultrasonic absolute power transfer standard 209
Fields, R. J.; E. R. Fuller, Jr., T.-J. Chuang, and S. Singhal, Characterization of creep damage in metals using small angle neutron scattering 35
fluids 375
fractography 435
free-air chamber 295
Fuller, E. R., Jr.; K. Hardman-Rhyne and N. F. Berk, Microstructural characterization of ceramic materials by small angle neutron scattering techniques 17
Fuller, E. R., Jr.; R. J. Fields, T.-J. Chuang, and S. Singhal, Characterization of creep damage in metals using small angle neutron scattering 35

G

galvanic cell 395
geophysical tomography 385
Gilsinn, D. E.; T. V. Vorburger, E. C. Teague, F. E. Scire, and M. J. McLay, Surface roughness studies with DALLAS—Detector Array for Laser Light Angular Scattering 3
glass 435
glass electrode 395
Goldberg, R. N., An equilibrium model for the calculation of activity and osmotic coefficients in aqueous solutions 251
green compact $YCrO_3$ 17
Grilly, E. R., and L. A. Schwalbe, Pressure-volume-temperature relationships for normal deuterium between 18.7 and 21.0 K 227
Grilly, E. R., and L. A. Schwalbe, Thermal expansion of liquid normal hydrogen between 18.8 and 22.2 K 317
Grimm discharge 143

H

Hardman-Rhyne, K.; N. F. Berk and E. R. Fuller, Jr., Microstructural characterization of ceramic materials by small angle neutron scattering techniques 17
head-space 279
head-space method for measuring activity coefficients, partition coefficients, and solubilities of hydrocarbons in saline solutions, A 279
heterogeneous solids 467
high temperature 349
high temperature failure of metals 35
Hill, D. A., Radio propagation in a coal seam and the inverse problem 385
hollow cathode discharge 143
Hollow cathode discharges; Analytical applications 143
hydrofluoric acid 251
hydrogen ion 395
hydrogen, normal 317
hydrogen, *para* 317

I, J

immersion 349
Impedance of a coil in the vicinity of a crack 47
indentation 435
indentation flaw 453
Indentation fractography: a measure of brittleness 435
industrial platinum resistance thermometers (IPRTs) 305
interactions of composition and stress in crystalline solids, The 467
inverse problems 75
iodine-125 seed 295
iterative calibration curve procedure, An 187

K

Kahn, Arnold H., Impedance of a coil in the vicinity of a crack 47
Katzenstein, J., and W. Catón, An absolute electric current probe based on the Faraday effect 273
Koch, W. F., Y. C. Wu and G. Marinenko, A report on the National Bureau of Standards pH standards 395

L

Larché, F. C., and J. W. Cahn, The interactions of composition and stress in crystalline solids 467
Lawn, B. R., and D. B. Marshall, Indentation fractography: a measure of brittleness 435
Lawn, B. R., and R. F. Cook, Controlled indentation flaws for the construction of toughness and fatigue master maps 453

lifetime prediction 453
light scattering 3
linear equation inversion 385
liquid junction 395
Loftus, T. P., Exposure standardization of iodine-125 seeds used for brachytherapy 295
loop antenna 385
low pressure glow discharges 143

M

Magrab, Edward B., Determination of the viscoelastic shear modulus using forced torsional vibrations 193
Mangum, B. W., Stability of small industrial platinum resistance thermometers 305
Marinenko, G., Y. C. Wu and W. F. Koch, A report on the National Bureau of Standards pH standards 395
Marshall, D. B, and B. R. Lawn, Indentation fractography: a measure of brittleness 435
martensitic phase changes 55
master maps 453
materials evaluation 453
Mavrodineanu, R., Hollow cathode discharges; Analytical applications 143
McLay, M. J.; T. V. Vorburger, E. C. Teague, F. E. Scire, and D. E. Gilsinn, Surface roughness studies with DALLAS—Detector Array for Laser Light Angular Scattering 3
measurement 273
measurements 187
medium frequency 385
melting pressure 227
metals processing 65
Microstructural characterization of ceramic materials by small angle neutron scattering techniques 17
Miller, Michele M.; Stanley P. Wasik, Frederick P. Schwarz, Yadu B. Tewari, and J. H. Purnell, A head-space method for measuring activity coefficients, partition coefficients, and solubilities of hydrocarbons in saline solutions 279
models of solutions 251
multicomponent 467

N

nondestructive evaluation 47, 75
Norton, S. J.; L. R. Testardi and H. N. G. Wadley, Reconstructing internal temperature distributions from ultrasonic time-of-flight tomography and dimensional resonance measurements 65
Note from the Board of Editors, "About this Topical Issue," 1

O

observations 187
optical fiber 3
optical scattering 3
ortho-para concentration 227
osmotic coefficient 251

P, Q

Palavra, A. M. F., and G. C. Straty, Automated high temperature PVT apparatus with data for propane 375
partition coefficient 279
Paschen discharge 143
performance 349
pH 395
phase equilibria 467
planar cathode discharge 143
platinum resistance thermometer 349
platinum resistance thermometers (PRTs) 305
polarized light 273
porosity 17
practical temperature scale 349
pressure, 5 to 70 bar 317
pressure-volume-temperature (PVT) 227
Pressure-volume-temperature relationships for normal deuterium between 18.7 and 21.0 K 227
probability 187
process control 65
propane 375
pulsed discharge 143
Purnell, J. H.; Stanley P. Wasik, Frederick P. Schwarz, Yadu B. Tewari, and Michele M. Miller, A head-space method for measuring activity coefficients, partition coefficients, and solubilities of hydrocarbons in saline solutions 279
PVT behavior 375

R

radial cracks 435
Radio propagation in a coal seam and the inverse problem 385
Reconstructing internal temperature distributions from ultrasonic time-of-flight tomography and dimensional resonance measurements 65
re-entrant chamber 295
Report on the National Bureau of Standards, A 395
roughness 3

S

Schwalbe, L. A., and E. R. Grilly, Pressure-volume-temperature relationships for normal deuterium between 18.7 and 21.0 K 227
Schwalbe, L. A., and E. R. Grilly, Thermal expansion of liquid normal hydrogen between 18.8 and 22.2 K *317*
Schwarz, Frederick P.; Stanley P. Wasik, Yadu B. Tewari, Michele M. Miller, and J. H. Purnell, A head-space

method for measuring activity coefficients, partition coefficients, and solubilities of hydrocarbons in saline solutions 279
Scire, F. E.; T. V. Vorburger, E. C. Teague, M. J. McLay, and D. E. Gilsinn, Surface roughness studies with DALLAS—Detector Array for Laser Light Angular Scattering 3
self-heating effect 349
shear modulus 193
signal processing 75
silver/silver chloride electrode 395
Si_3N_4 17
Simmons, J. A., and H. N. G. Wadley, Theory of acoustic emission from phase transformations 55
Singhal, S.; E. R. Fuller, Jr., R. J. Fields, and T.-J. Chuang, Characterization of creep damage in metals using small angle neutron scattering 35
small angle neutron scattering 17, 35
sodium carbonate 251
solid 467
Spiegelman, Clifford H., An iterative calibration curve procedure 187
stability 349
Stability of small industrial platinum resistance thermometers 305
Standard Reference Materials 395
standards 295, 395
statistical methods 187
statistics 187
Straty, G. C., and A. M. F. Palavra, Automated high temperature PVT apparatus with data for propane 375
strength 435, 453
stress 467
structural integrity 75
sulfuric acid 251
surface roughness 3
Surface roughness studies with DALLAS—Detector Array for Laser Light Angular Scattering 3

T

Teague, E. C.; T. V. Vorburger, F. E. Scire, M. J. McLay, and D. E. Gilsinn, Surface roughness studies with DALLAS—Detector Array for Laser Light Angular Scattering 3
temperature 305
temperature distribution sensor 65
temperature, 18.8 to 22.2 K 317
Testardi, L. R.; S. J. Norton and H. N. G. Wadley, Reconstructing internal temperature distributions from ultrasonic time-of-flight tomography and dimensional resonance measurements 65
Tewari, Yadu B.; Stanley P. Wasik, Frederick P. Schwarz, Michele M. Miller, and J. H. Purnell, A head-space method for measuring activity coefficients, partition coefficients, and solubilities of hydrocarbons in saline solutions 279
texture 3
theoretical bases 75
Theory of acoustic emission from phase transformations 55
thermal expansion 227
thermal expansion coefficient 317
Thermal expansion of liquid normal hydrogen between 18.8 and 22.2 K 317
thermodynamic properties 227
thermodynamics 395, 467
thermometers 305
thermometry 305
tomography 65
topography 3
torsion 193
toughness 453
transfer calibrations 209
triple point 227
Tschiegg, Carl E.; Steven E. Fick, Franklin R. Breckenridge, and Donald G. Eitzen, An ultrasonic absolute power transfer standard 209
twinning 55

U

ultrasonic absolute power transfer standard, An 209
ultrasonic power standards 209
ultrasonic transducers 209
ultrasound 65
universal curves 453

V

vacancies 467
Verdet constant 273
vibrations 193
viscoelastic 193
Vorburger, T. V.; E. C. Teague, F. E. Scire, M. J. McLay, and D. E. Gilsinn, Surface roughness studies with DALLAS—Detector Array for Laser Light Angular Scattering 3

W, X, Y, Z

Wadley, H. N. G., and D. G. Eitzen, Acoustic emission: establishing the fundamentals 75
Wadley, H. N. G., and J. A. Simmons, Theory of acoustic emission from phase transformations 55
Wadley, H. N. G.; S. J. Norton and L. R. Testardi, Reconstructing internal temperature distributions from ultrasonic time-of-flight tomography and dimensional resonance measurements 65
Wasik, Stanley P.; Frederick P. Schwarz, Yadu B. Tewari, Michele M. Miller, and J. H. Purnell, A head-space method for measuring activity coefficients, partition coefficients, and solubilities of hydrocarbons in saline solutions 279
Wu, Y. C., W. F. Koch and G. Marinenko, A report on the National Bureau of Standards pH standards 395